



## TP-Link UB5A scheda di rete e adattatore Bluetooth

**Marchio** : TP-Link

**Codice prodotto**: UB5A

**Nome del prodotto** : UB5A

TP-Link UB5A. Tecnologia di connessione: Wireless, Interfaccia host: USB, Interfaccia: Bluetooth



<b>Connettività</b>		<b>Sostenibilità</b>	
Tecnologia di connessione *	Wireless	Conformità alla sostenibilità	✓
Interfaccia host *	USB	<b>Dimensioni e peso</b>	
Interfaccia *	Bluetooth	Larghezza	14,8 mm
Versione USB	2.0	Profondità	6,8 mm
<b>Collegamento in rete</b>		Altezza	18,9 mm
Bluetooth	✓	<b>Dati su imballaggio</b>	
Versione Bluetooth	5.0	Larghezza imballo	118 mm
<b>Design</b>		Profondità imballo	102 mm
Componente per *	PC	Altezza imballo	23 mm
Interno *	✗	Peso dell'imballo	30 g
		<b>Contenuto dell'imballo</b>	
		Guida d'installazione rapida	✓
		<b>Dettagli tecnici</b>	
		Certificati di conformità	CE, Federal Communications Commission (FCC)
		<b>Dati logistici</b>	
		Codice del Sistema Armonizzato (SA)	85176990

## Requisiti di sistema

Sistema operativo Windows supportato	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IoT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 Enterprise, Windows 11 Enterprise x64, Windows 11 Home, Windows 11 Pro, Windows 11 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64
--------------------------------------	---

## Condizioni ambientali

Intervallo temperatura di funzionamento	0 - 40 °C
Range di umidità di funzionamento	10 - 90%
Umidità	5 - 90%



4897098687802

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-OCT-2024. Prints or copies of Information are only valid on the printed Publication date